# Prevent Protect Promote Prevent Protect Promote Prevent Feat Protect Promote Prevent Protect Protect Promote Prevent Protect Promote Prevent Protect Promote Prevent Protect P

### HIV/AIDS

UTAH - 2006



George A. Usher, MPA - Program Manager

**Leslie A. Clark – Information Analyst** 

Utah Department of Health • Bureau of Communicable Disease Control • HIV/AIDS Surveillance Program

### Epidemiology

January - December 2006

- New AIDS cases: 54
  - 14% decrease from December 2005 (63)
- New HIV cases: 103
  - 2% increase from December 2006 (100)



### Epidemiology: Incidence

January- December 2006

- Of the 157 persons with HIV/AIDS:
  - 83% are male (131)
  - 17% are female (26)
  - -68% were between the ages of 20-39 (107)



# Incidence and Exposure: Men January - December 2006

- Most common:
  - Men who have sex with men (65%)
- Second most common:
  - Men who have sex with men and inject drugs (18%)

\*Eleven percent of men did not disclose risk.



## Incidence and Exposure: Women January - December 2006

- Most commonly reported:
  - Heterosexual contact (38%)
- Second most common reported:
  - Injecting drug use (15%)

\*Forty-six percent of women disclosed only risk as sex with male.




## Incidence: Reporting Sources January – December 2006

- Of these 103 persons testing HIV positive during 2006:
- 40% were reported through laboratory reports
- 38% were reported through counseling and testing sites
- 11% were reported through physician office visits
- 12% were reported through other sources



### Incidence: by Residence at Diagnosis

January - December 2006



- 90% of 2006 cases live along the Wasatch Front
- 73% of 2006 cases live in Salt Lake County
- The majority of those living in rural areas, come to Salt Lake City for medical treatment.



### Incidence: Gender/Ethnicity

#### January - December 2006

Race/Ethnicity	Male	Female
White	68%	50%
Hispanic	26%	12%
Black	5%	31%
Asian/Pacific Islander	1%	7%
Total	100%	100%

- Ethnic minorities comprise
  - 16% of Utah's Population
  - 38% of those newly diagnosed with HIV or AIDS in 2005



## Epidemiology: Cumulative December 2006


AIDS cases: 2,272

HIV (non-AIDS): 887



#### **Utah HIV/AIDS Cases**

by Year of Report (3,159 Total Cases)







# Cumulative by Demographic December 2006

	AIDS	HIV
Gender	Male (90%)	Male (82%)
	Female (10%)	Female (18%)
Age	30-39 (46%)	20-29 (40%)
	40-49 (26%)	30-39 (39%)
Race	White (78%)	White (70%)
	Hispanic (13%)	Hispanic (17%)
	Black (7%)	Black (11%)
Exposure	MSM (62%)	MSM (55%)
•	IDU (16%)	IDU (12%)
	MSM/IDU (9%)	MSM/IDU (13%)
	Hetero (6%)	Hetero (9%)




### Immerging Trends: Among Males by Risk December 2006








### Immerging Trends: Among Females by Risk December 2006








# HIV/AIDS Among Black Persons by Country of Origin

December 2006



Black non-Hispanic persons newly diagnosed with HIV/AIDS.

- Cumulative = 254 cases, 2005 = 10 cases, 2006 = 14

\* Other includes U.S. Virgin Islands, Brazil and Canada

Utah Department of Health • Bureau of Communica

Utah


Department

of Health

Utah Department of Health • Bureau of Communicable Disease Control • HIV/AIDS Surveillance Program • 6/2005 Data

# HIV/AIDS Among Hispanic Persons by Country of Origin

December 2006



- Hispanic persons newly diagnosed with HIV/AIDS.
  - Cumulative = 436 cases, 2005 = 35 cases, 2006 = 36 cases

\* Other includes Cambodia, Cuba, Dominican Republic, Kenya, Panama, and Spain



Prevent Protect Promote Prevent Protect Promote Prevent Feat Protect Promote Prevent Protect Promote Prevent Protect

### THE END

